


Technical data sheet

9001 Substation / indoor unit

Art. no 17570



DESCRIPTION:

Type 9001 is a Command Intercom System (Talkback) substation for indoor environments such as cabins and mess rooms. It is loud-speaking 2-way, equipped with both a CALL and TALK button. The unit provides privacy functionality to prevent unintended listening in.

FEATURES:

- Privacy functionality
- 2-way loudspeaker
- CALL and TALK button



ELECTRICAL SPECIFICATIONS:

SPL (1m)	>80dB(A)
Power supply	From central/line supply
Termination	Screw terminals, $\geq 2.5\text{mm}^2$
Compass safe distance	>5m

ENVIRONMENTAL SPECIFICATIONS:

Temperature	-15°C to +55°C
Humidity	+93% (at +40°C)
Protection	IP31

Technical data sheet

9001 Substation / indoor unit

Art. no 17570



MECHANICAL SPECIFICATIONS:

Dimension (WxHxD)	100x130x56mm
Weight	0.3kg
Material	PC / ABS blend, ABS
Colour	RAL 9005/9006
Mounting	Wall
Fixing	4 pcs M3 bolts
Access	Front
Manufacturer	Jotron AS

CERTIFICATES / COMPLIANCES:

Complies to IEC 60945 Marine equipment
The unit has a RMRS type approval

PRODUCT RELATED TO:

CIS 3100/3101/3102/3130	Command Intercom system
-------------------------	-------------------------




Technical data sheet

9001 Substation / indoor unit

Art. no 17570



DIMENSION / LAYOUT



Technical data sheet

9001 Substation / indoor unit

Art. no 17570

