

Technical data sheet

9013 Bridge wing unit

Art. no 15069



DESCRIPTION:

9013 is an indoor communication unit for Bridge wing Port / Starboard connected to Command Intercom system CIS 3000

FEATURES:

- Microphone contact
- Loudspeaker connection
- Indoor use

ELECTRICAL SPECIFICATIONS:

Power supply	24VDC from Central unit
Power consumption	N/A
Heat dissipation (typ/max)	N/A
Termination	Screw terminals

ENVIRONMENTAL SPECIFICATIONS:

Temperature	0°C to +45°C
Humidity	20-80% Non-condensing
Protection	IP20

Technical data sheet

9013 Bridge wing unit

Art. no 15069



MECHANICAL SPECIFICATIONS:

Dimension (WxHxD)	96x144x52mm
Weight	0.25kg
Material	Aluminium
Colour	RAL 9005
Mounting	Console
Fixing	4 pcs M4 bolts
Access	Front
Cable entry	Bottom
Gland type	N/A
Manufacturer	Jotron AS

CERTIFICATES / COMPLIANCES:

Low voltage directive 2006/95/EC
CE marking directive 93/68/EEC

PRODUCT RELATED TO:

CIS 3000	Command Intercom System
9017/9117/9217	Handheld microphone


Technical data sheet

9013 Bridge wing unit

Art. no 15069



DIMENSION / LAYOUT



Technical data sheet

9013 Bridge wing unit

Art. no 15069



EXTERNAL CONNECTION

